



ARIENS®

2025
EXPORT

KING OF SNOW
ARIENS 2025 EXPORT V1.1

WITH SO MANY OPTIONS, ARIENS® HAS THE PERFECT SNO-THRO® FOR YOU.

Wheels or tracks? 24" width, 36" or something in between? Electric start or pull? Understanding your property and usage will determine which Ariens® model will best suit your needs. As you page through this catalog, look for the icons at the bottom of the page to help you narrow down the right model for you.

ASK YOURSELF THE FOLLOWING QUESTIONS:

- 1** HOW OFTEN DOES IT SNOW IN YOUR AREA?
 LIGHT  MODERATE  HEAVY
- 2** HOW BIG IS THE AREA YOU'LL BE CLEARING?
 1-2 CAR DRIVEWAY  3-6 CAR DRIVEWAY  7+ CAR DRIVEWAY
- 3** WHAT TYPE OF SURFACE WILL YOU BE CLEARING?
 PAVEMENT  GRAVEL  PAVEMENT OR GRAVEL
- 4** HOW MUCH OF A SLOPE DOES THE SURFACE HAVE?
 FLAT  MODERATE  STEEP

Our machines are designed to handle them all. Whatever you choose, you can't go wrong, because every Ariens® Sno-Thro® is built to get the job done. The good news is, you've taken a great first step, you're looking at an Ariens.



CLASSIC SERIES



THE FORECAST IS CALLING FOR NOTHING IT CAN'T HANDLE.

All-steel construction yet lightweight and easy to control, this machine was made for serious snow removal. Its interlocking levers let you operate one-handed when throwing snow and driving, while its steel serrated auger makes a quick meal out of whatever mother nature dishes out. Heavy and wet? Light and fluffy? The CLASSIC throws it all.

"My Ariens snow thrower has never let me down. Deep blizzards, sub-zero temps, it doesn't matter, it starts right up and gets the job done."

— Gary B.
Minneapolis, Minnesota

VISIT ARIENS.EU FOR DETAILS



ALL-STEEL CONSTRUCTION

An all-steel Ariens® Sno-Thro® is built to stand the test of time.

230V ELECTRIC START

Starts easily with the push of a button, even in extreme conditions.

2.5X QUICK-TURN CHUTE

Put snow in its place with a 2.5X Quick-Turn Chute with 205-degree rotation.

3 YEAR LTD. RESIDENTIAL WARRANTY **90** DAY LTD. COMMERCIAL WARRANTY



MODEL OVERVIEW

DESIGNATION	CLASSIC 24
MODEL	920328
ENGINE	ARIENS AX 208 cm ³
MAX. ENGINE POWER KW/HP	4,9/6,7 @ 3.650 RPM
MAX. TORQUE	12,78 Nm
STARTING SYSTEM	230V & RECOIL
TRACTION DRIVE	MECHANICAL
DRIVE AXLE	LOCKABLE
GEARS	6 FORW. / 2 BACKW.
THROWING DISTANCE	0,9 - 12,2 m
TONNES PER HOUR*	52
CHUTE ROTATION	2,5 x QUICK TURN, 205°
AUGER DIAMETER	27,9 cm
HOUSING	24" (61 X 50 cm)
TIRES	13" X 4" (33 X 10 cm)
LIGHT	-
HEATED HAND GRIPS	-

* Maximum clearing performance under ideal conditions.

ARIENS RAPIDTRAK™: STOPS A BLIZZARD IN ITS TRACKS.

Wheels and tracks. They each have their place. We just happen to think some places need both. That's the versatility RapidTrak™ gives you. Thanks to its intuitive user-friendly design and three adjustable settings, you can switch to the traction you need in seconds. Its Wheeled Mode gives you effortless maneuverability on flat surfaces and its Track Mode is great for regular snow-clearing. But sometimes you need something extra. That's where the Dig-In Mode comes in. It delivers the traction you need in deep snow, on hills, or on slippery pavement. Every snowfall is different, and RapidTrak™ will keep you powering forward.



POSITION 1 - TRACK

A traditional track position with the grip of a track for normal operation.

POSITION 2 - WHEEL

Effortlessly raise the rear wheel to make the machine function like a wheel-driven model.

POSITION 3 - DIG-IN

Shift the rear wheel down to pitch the auger housing and dig into hard-packed snow.



AUTO-TURN™ STEERING

Effortless, zero-degree turning radius.

CAST-IRON GEAR CASE

Our rugged gear case leads the industry by producing an unmatched auger ratio to clear more snow. Equally impressive is its industry leading 5-year warranty.

DEEP TREAD TIRES

Built for the snow, these 15" directional tires provide improved mobility and agility.

230V ELECTRIC START

Simply starts at the touch of a button, even under extreme conditions.

2.5X QUICK-TURN CHUTE

Put snow in its place with a 2.5X Quick-Turn Chute with 205-degree rotation.

3 YEAR LTD. RESIDENTIAL WARRANTY **90** DAY LTD. COMMERCIAL WARRANTY



MODEL OVERVIEW

DESIGNATION	COMPACT 24	COMPACT 24 RAPIDTRAK™
MODEL	920329	920330
ENGINE	ARIENS AX 208 cm ³	ARIENS AX 208 cm ³
MAX. ENGINE POWER KW/HP	4,9/6,7 @ 3.650 RPM	4,9/6,7 @ 3.650 RPM
MAX. TORQUE	12,78 Nm	12,78 Nm
STARTING SYSTEM	230V & RECOIL	230V & RECOIL
TRACTION DRIVE	MECHANICAL	MECHANICAL RAPIDTRAK
DRIVE AXLE	AUTO-TURN™	AUTO-TURN™
GEARS	6 FORW. / 2 BACKW.	6 FORW. / 2 BACKW.
THROWING DISTANCE	0,9 - 12,2 m	0,9 - 12,2 m
TONNES PER HOUR*	52	52
CHUTE ROTATION	2,5 x QUICK TURN, 205°	2,5 x QUICK TURN, 205°
AUGER DIAMETER	27,9 cm	27,9 cm
HOUSING	24" (61 X 50 cm)	24" (61 X 50 cm)
TIRES	15" X 5-6" (38 X 13 cm)	TRACK 14 cm
LIGHT	LED	LED
HEATED HAND GRIPS	-	-

* Maximum clearing performance under ideal conditions.

COMPACT
SERIES



TAKE THE SNOW BY STORM.

Don't let its size fool you, there's a lot of power packed into every Ariens® COMPACT. It was designed to be easy enough to take out for a light dusting of snow and reliable enough to tackle up to 52 tons per hour. The COMPACT Series is designed for effortless agility without sacrificing legendary Ariens power.

"Since I've had my Ariens, I actually look forward to big snowstorms!"

– Ray F.
Cleveland, Ohio



VISIT ARIENS.EU FOR DETAILS

DELUXE SERIES



STRAIGHT-FORWARD POWER FOR UNCHALLENGED PERFORMANCE.

It's no wonder the DELUXE series is consistently one of our best-sellers. After all, it consistently takes winter down a few notches. They're easy to maneuver and control with standard Auto-Turn™ steering. With multiple sizes and choices of powerful Ariens AX engines, it's easy to find the right Sno-Thro® for your property.

"I've had other brands of snow throwers in my lifetime, but my Ariens will be my last."

– Rich A.
Bridgeport, Connecticut

VISIT ARIENS.EU FOR DETAILS

HAND WARMERS

Stay warm and comfortable with our premium hand warmers.

LED HEADLIGHT

Standard on all DELUXE Series Sno-Thro® models

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius.

DUAL-BELT DRIVE

Exclusive to Ariens, delivers maximum power through tough conditions, plus extended belt life.

DEEP TREAD TIRES

16" directional tires provide improved mobility and agility.

3 YEAR LTD. RESIDENTIAL WARRANTY **90** DAY LTD. COMMERCIAL WARRANTY




MODEL OVERVIEW

DESIGNATION	DELUXE 24	DELUXE 28	DELUXE 28 RAPIDTRAK™
MODEL	921323	921324	921330
ENGINE	ARIENS AX 254 cm ³	ARIENS AX 291 cm ³	ARIENS AX 291 cm ³
MAX. ENGINE POWER KW/HP	5,6/7,6 @ 3.650 RPM	6,3/8,5 @ 3.650 RPM	6,3/8,5 @ 3.650 RPM
MAX. TORQUE	12,78 Nm	19,5 Nm	19,5 Nm
STARTING SYSTEM	230V & RECOIL	230V & RECOIL	230V & RECOIL
TRACTION DRIVE	MECHANICAL	MECHANICAL	MECHANICAL RAPIDTRAK
DRIVE AXLE	AUTO-TURN™	AUTO-TURN™	AUTO-TURN™
GEARS	6 FORW. / 2 BACKW.	6 FORW. / 2 BACKW.	6 FORW. / 2 BACKW.
THROWING DISTANCE	0,9 - 15,2 m	0,9 - 16,7 m	0,9 - 16,7 m
TONNES PER HOUR*	56	65	65
CHUTE ROTATION	2,5 x ICE DRILL, 200°	2,5 x ICE DRILL, 200°	2,5 x ICE DRILL, 200°
AUGER DIAMETER	35,6 cm	35,6 cm	35,6 cm
DOUBLE BELT	YES	YES	YES
HOUSING	24" (61 X 53 cm)	28" (71 X 53 cm)	28" (71 X 53 cm)
TIRES	16 X 4.8-8" (40.6 X 12 cm)	16 X 4.8-8" (40.6 X 12 cm)	TRACK 14 cm
LIGHT	LED	LED	LED
HEATED HAND GRIPS	YES	YES	YES

* Maximum clearing performance under ideal conditions.



BRING YOUR ARIENS[®] MACHINE TO LIFE IN THE DEAD OF WINTER.



Powerful and reliable. Those are the two main qualifications of a great engine. That's why we feature Electronic Fuel Injection (EFI) engine technology. They start with the turn of the key and deliver the torque and power to keep you clearing snow of all types and depths. You can thank its electronic governor which maintains consistent speed and throwing performance, without bogging down. Through wet snow and deep drifts, the EFI engine keeps the power consistent, even at low throttle. This is an engine worthy of serving the „King of Snow[®]” - Ariens.



VISIT ARIENS.EU FOR DETAILS

PLATINUM SERIES



PURE POWER AGAINST SNOW.

When you get behind your PLATINUM, you'll want to keep going – driveway after driveway. These units were built for high-volume workloads, hence their standard hand-warmers and Super High Output (SHO) impellers. The PLATINUM Series is loaded with plenty of other features sure to fit your snow removal needs.

"My favorite thing about my Ariens is the built-in handwarmers. I go up and down my entire block, the neighbors love me."

– Michael H.
Superior, Wisconsin

VISIT ARIENS.EU FOR DETAILS



SUPER HIGH OUTPUT IMPELLER (SHO)

Move through heavy, wet snow with ease with our exclusive SHO technology.

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius.

EFI ENGINE AVAILABLE

Our Electronic Fuel Injection engine is easy starting, requires less maintenance and provides efficiency and performance, even at high altitude snow removal.

LED HEADLIGHT

Early morning or late at night, throw the snow when you need with added visibility.

HAND WARMERS

Stay warm and comfortable with our premium hand warmers.

3 YEAR
LTD. RESIDENTIAL
WARRANTY

90 DAY
LTD. COMMERCIAL
WARRANTY



MODEL OVERVIEW

DESIGNATION	PLATINUM 24 GREAT LAKES EDITION	PLATINUM 28 RAPIDTRAK™
MODEL	921333	921335
ENGINE	ARIENS AX 369 cm³ EFI	ARIENS AX 369 cm³ EFI
MAX. ENGINE POWER KW/HP	7,5/10,2 @ 3.650 RPM	7,5/10,2 @ 3.650 RPM
MAX. TORQUE	23,1 Nm	23,1 Nm
STARTING SYSTEM	230V & RECOIL	230V & RECOIL
TRACTION DRIVE	MECHANICAL	MECHANICAL RAPIDTRAK
DRIVE AXLE	AUTO-TURN™	AUTO-TURN™
GEARS	6 FORW. / 2 BACKW.	6 FORW. / 2 BACKW.
THROWING DISTANCE	0,9 - 16,7 m	0,9 - 16,7 m
TONNES PER HOUR*	73	77
CHUTE ROTATION	ELECTRIC, 200°	MECHANIC, QUICK TURN, 200°
AUGER DIAMETER	35,6 cm	35,6 cm
DOUBLE BELT	YES	YES
SUPER-HIGH-OUTPUT SHO	YES	YES
HOUSING	24" (61 X 53 cm)	28" (71 X 53 cm)
TIRES	16 X 4.8-8" (40.6 X 12 cm)	TRACK 14 cm
LIGHT	LED	LED
HEATED HAND GRIPS	YES	YES

* Maximum clearing performance under ideal conditions.

VARIABLE SPEED

Infinitely variable speed adjustment through hydrostatic drive. (Only Hydro-Pro models).

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius.

SUPER HIGH OUTPUT IMPELLER (SHO)

Move through heavy, wet snow with ease with our exclusive SHO technology.

ARIENS® AX420 EFI ENGINE

Our engine with electronic fuel injection is easy to start and offers high snow clearing performance. (Not Professional 28).

THROWING PERFORMANCE

Put snow in its place, from 1-18 m away.

HAND WARMERS

Stay warm and comfortable with our premium hand warmers.



MODEL OVERVIEW

DESIGNATION	PROFESSIONAL 28	HYDRO PRO 28 RAPIDTRAK™ ALPINE EDITION	HYDRO PRO 28 RAPIDTRAK™ MOUNTAINEERING EDITION	HYDRO PRO 32 RAPIDTRAK™ KRAKEN EDITION
MODEL	926344	926345	926521	926520
ENGINE	ARIENS AX 420 cm ³	ARIENS AX 420 cm ³ EFI	ARIENS AX 420 cm ³ EFI	ARIENS AX 420 cm ³ EFI
MAX. ENGINE POWER KW/HP	9,7/13,1 @ 3.650 RPM	9,7/13,1 @ 3.600 RPM	9,7/13,1 @ 3.600 RPM	9,7/13,1 @ 3.600 RPM
MAX. TORQUE	27,1 Nm	28,5 Nm	28,5 Nm	28,5 Nm
STARTING SYSTEM	230V & SRECOIL	230V & SRECOIL	12V KEY STARTER & RECOIL	12V KEY STARTER & RECOIL
TRACTION DRIVE	MECHANICAL	HYDROSTATIC RAPIDTRAK™	HYDROSTATIC RAPIDTRAK™	HYDROSTATIC RAPIDTRAK™ ELECTRIC ADJUSTMENT
DRIVE AXLE	AUTO-TURN™	AUTO-TURN™	AUTO-TURN™	AUTO-TURN™
GEARS	6 FORW. / 2 BACKW.	VARIABEL	VARIABEL	VARIABEL
THROWING DISTANCE	0,9 - 18,2 m	0,9 - 18,2 m	0,9 - 18,2 m	0,9 - 18,2 m
TONNES PER HOUR*	79	79	84	90
CHUTE ROTATION	QUICK TURN, 200°	ELECTRIC, 200°	ELECTRIC, 200°	ELECTRIC, 200°
AUGER DIAMETER	40,6 cm	40,6 cm	40,6 cm	40,6 cm
DOUBLE BELT / SHO	YES / YES	YES / YES	YES / YES	YES / YES
HOUSING	28" (71 X 59 cm)	28" (71 X 59 cm)	32" (81 X 59 cm)	32" (81 X 59 cm)
TIRES	16 X 4.8-8" (40.6 X 12 cm)	TRACK 14 cm	TRACK 14 cm	TRACK 14 cm
LIGHT	LED	2 x LED	2 x LED	3 x LED
HEATED HAND GRIPS	YES	YES	YES	YES

* Maximum clearing performance under ideal conditions.

PROFESSIONAL SERIES

3 YEAR
LTD. RESIDENTIAL
WARRANTY

90 DAY
LTD. COMMERCIAL
WARRANTY



BILLIONS OF SNOWFLAKES VS. ONE MACHINE. SEEMS ABOUT RIGHT.

They tame the wildest of snowstorms with ease. The deepest, heaviest snowfalls are given their last rites the moment you fire up this 420cc engine. You don't need to be a professional to own one, just the desire to move as much snow in as little time as possible. Go ahead, upgrade your amateur status and throw like the pros.

"My dad had an Ariens, which he gave me when he upgraded his. That was about 20 years ago."

— William R.
Bloomsberg, Pennsylvania



VISIT ARIENS.EU FOR DETAILS

MAMMOTH 850



WHERE THE MAMMOTH™ BEATS THE COMPETITION:

BEST-IN-CLASS ENGINE

29.5 hp Kawasaki 850V-EFI engine, and Electronic Fuel Injection for cold days and reliable starting.

FOUR-WHEEL DRIVEN POWER

Parker HP2 Pumps and Parker Engines provide power and control to all four wheels.

CONVENIENT DASH LAYOUT

Controls are at your fingertips. One hand drives while the other works the attachment joystick.

EASY USE & MAINTENANCE

Electric Connect system, and quick-attach system eliminates hydraulic hoses and their fluid which means fewer points of service.

COMFORT & SAFETY FEATURES

- Dual ultra-bright LED light strips in front and a single rear LED rear light for optimum back lighting.
- Standard hand warmers activated through dash switch.
- Dampened operator platform for all-day comfort.
- Textured and bolstered operator pad for maximum control and comfort.
- Operator Presence Control lever (OPC) integrated into left steering lever.

USES SNOWZILLA QUICK-ATTACHMENT SYSTEM™

2 YEAR
OR
500 HOURS
WARRANTY



MANY OPTIONS AGAINST SNOW.



48" V-PLOW 122 CM

- Multiple Uses V-plow, straight blade, Y-mode, all in one attachment.
- Trip Edge Blade Design keeps you plowing over uneven surfaces.
- Float and Down-Pressure protects the surface, operator, and tractor; helps clear heavily packed snow.
- (OPTIONAL ACCESSORY) 6" Wing Kit extends width to the blade while delivering even better control over snow at plow edges.



48" SNOW BLADE 122 CM

- Pivots 30 degrees left and right for 60-degrees total pivot.
- Single joystick puts all controls right at your fingertips.
- Standard steel scraper blade.
- Poly scraper blade available.
- Steel skid shoes come standard.



44" POWER BRUSH 112 CM

- Clears down to surface, allowing users to use less salt.
- Low discharge height – safer for work in high-volume pedestrian areas.
- Individual bristle discs can be changed individually if damaged
- Pivots 20 degrees left and right, all from one a single joystick, right at your fingertips.
- Polymer bristle construction is durable yet gentle on delicate surfaces
- Driven by easy-to-connect PTO means quick connection and more power, with no belts or hoses.



36" / 48" SNOWBLOWER HEADS 91 CM / 122 CM

- Throws snow up to 18 m.
- 40 cm impeller.
- Driven by easy-to-connect PTO means quick connection and more power, with no belts or hoses.
- Steel scraper blade and skid shoes are standard, polymer versions available.
- Electric chute rotates 200 degrees and dual-hinged deflector allow you to put snow right where you need it - all from two simple dash controls.



SALT SPREADER 113 CM

- Rear-mounted drop-spreader.
- For salt and sand.
- Dash-mounted panel puts all controls right where the operator needs them.
- 56 l capacity.



BRINE SPRAYER 69 - 119 CM

- 75 l integrated reservoir. Kit includes pump, controller, spray nozzles and spray wand.
- All controls mounted to dash mean quick and easy use without taking your eyes off your path.
- Works with rotary brush, snow blower head, and blade attachments when installed.

TECNICAL DATA

DESIGNATION	MAMMOTH™ 850
MODEL	951301
ENGINE	KAWASAKI® 850V EFI
MAX. ENGINE POWER KW/HP	21,7/29,5 @ 3.600 RPM
STARTING SYSTEM	ELECTRIC
TRACTION DRIVE	HYDROSTATIC, 4WD
GEARS	VARIABLE
MAX. SPEED	12,9 KM/H FORW. / 6,4 KM/H BACKW.
ATTACHEMENT-SYSTEM	ARIENS "SNOWZILLA™" QUICK-ATTACHEMENT SYSTEM
ATTACHEMENT-LIFT	ELECTRIC
DRIVE SHAFT	PTO WITH ELECTRIC CLUTCH
ATTACHEMENT-ADJUSTMENT	ELECTRIC JOYSTICK CONTROL
HEATED HAND GRIPS	YES
LIGHTS	2 LED FRONT, 1 LED BACK
DIMENSIONS L/W/H	174 CM WITH PLATFORM / 91 CM / 128 CM
WEIGHT, WITHOUT FUEL	495 KG

ATTACHMENTS	48" 122 CM V-PLOW	48" 122 CM SNOW BLADE	44" 112 CM POWER BRUSH
MODEL	851307	851303	851304
JOYSTICK ADJUSTMENT	ELECTRIC LIFT V-STRAIGHT-Y PLOW ADJUSTMENT 28,5°- 0°-28,5°	ELECTRIC LIFT 30°- 0°-30° ADJUSTMENT	ELECTRIC LIFT 20°-0°-20° ADJUSTMENT
OTHER	STEEL SCRAPER BAR AS STANDARD	STEEL SCRAPER BAR AS STANDARD	63 CM BRUSH DIAMETER

ATTACHMENTS	36" 91 CM OR 48" 122 CM SNOW BLOWER	SALT SPREADER 113 CM	BRINE SPRAYER 69 - 119 CM VARIABLE
MODEL	851302 OR 851301	851006	851005
JOYSTICK ADJUSTMENT	ELECTRIC LIFT CHUTE ROTATION	REAR ATTACHMENT, SEPARATE ELECTRICAL CONTROL ELEMENT	REAR ATTACHMENT WITH ON/OFF SWITCH
ATTACHEMENT CONNECTOR	PTO SHAFT AND ELECTRICAL CONNECTION WITH QUICK CONNECTORS	ELECTRICAL CONNECTION	ELECTRICAL CONNECTION
OTHER	THROWING DISTANCE 18 m MAX.	56 L CAPACITY	75 L RESERVOIR

OUTFIT YOUR ARIENS® TO TACKLE ANY FORECAST.

Take your Ariens to the next level with OEM accessories and upgrades that turn the best machines into the perfect machine for your property. And because the accessories come straight from the factory, you'll never have to question performance.



SNOW CAB

Protect yourself from the elements with a spacious, rugged, steel-frame Ariens Sno-Thro® cab. For all models.

Art.no: 72102600
Art.no: 72103800 - Mounting kit for RapidTrak® models



HEATED HAND GRIPS

Stay comfortable in the coldest conditions with these ergonomically designed heated handle grips. On/off switch included. For CLASSIC and COMPACT.

Art.no: 72101400



SNOW CHAINS WITH SPIKES

Superior two-link spaced cross chains power over hills, ice and hard-packed snow.

Art.no: 92001001 (4.10-6(13x4))
Art.no: 92001002 (15.5.00-6(15x5))
Art.no: 92001003 (4.80-8(16x4,8))
Art.no: 92001004 (16x6,5-8(16x6,5))



SHEAR BOLT

Art.no: 53200500 - 1 pc
Art.no: 72001800 - 150 pc for CLASSIC and COMPACT

Art.no: 52100100 - 1 pc
Art.no: 72100100 - 150 pc for DELUXE and PROFESSIONAL



SHEAR BOLT

Original replacement shear bolt, suitable for selected older COMPACT, DELUXE and PROFESSIONAL models.

Art.no: 51001500 - 1 pc



DRIFT CUTTER KIT

For high and heavy snowdrifts. The blades cut lateral snow that is higher than the diameter of the auger. For DELUXE, PLATINUM and PROFESSIONAL.

Art.no: 72406900



NON-ABRASIVE SKID SHOE

Durable polyethylene material providing protection on decorative surfaces.

Art.no: 72603100 - polyethylene
Art.no: 72101100 - steel (standard)



LED DASH HEADLIGHT

Ariens OEM LED headlight replacement kit to be used on all Ariens snow-blowers model years 2011 and newer that have halogen light original.

Art.no: 72104400



FRONT WEIGHT 4,5 KG

In case of firm snow, the additional weight on the auger housing increases the pressure of the scraper edge to the ground.

Art.no: 72406500



CLEAN-OUT SHOVEL

This kit includes one shovel, one mount, and the necessary hardware.

Art.no: 72407100 - w/o brush
Art.no: 72408100 - with brush



SALT SPREADER

Art.no: 70709500 - 45 kg
Art.no: 70734300 - 27 kg



SNO-THRO® COVER

Designed to protect your machine.

Art.no: 72601400 - 24"
Art.no: 72601500 - 28", 30" and 32"



the King of Snow

It's a distinction we wear with great pride. After all, it was hard work to earn it. But in the end, our superior engineering and quality craftsmanship reigned supreme, and they still do. They're what won customers over and earned their loyalty for generations. Our machines are built to perform and last beyond expectations because our standards are higher than any snowdrift they'll encounter. That's how we became the King of Snow® and we have no plans to relinquish our crown.

VISIT [ARIENS.EU](https://www.ariens.eu) FOR DETAILS

Errors and omissions excepted.
No claims can be derived from information or illustrations.

© 2024 ARIENSCO. ALL RIGHTS RESERVED.



ARIENS|CO

AriensCo GmbH
Ellwanger Strasse 15
74424 Buehlertann / Germany
Phone +49 (0)7973 / 9123-0
info-eu@ariensco.com
www.ariens.eu